

North Dakota 2013 Spring Climate Outlook March – May 2013



NWS Bismarck, ND

February 25, 2013



Climate Outlook Highlights



For March 2013:

- Below normal temperatures are favored for the Souris River Valley through southwest North Dakota.
 - ➤ Elsewhere, near normal temperatures are favored.
- Near normal precipitation is favored over much of the state.
 - ➤ In the far east, wetter than normal conditions are favored.
- For Spring (March May) 2013:
 - Near normal temperatures and precipitation are favored statewide.
- Runoff from snowmelt is expected to improve drought conditions through the spring season.





Monthly Outlook March 2013



Temperature

Precipitation








2013 Spring Climate Outlook Marsh Marsh 2010


WEATHER SERVICE AND SERVICE AN

March – May 2013

Temperature

Precipitation







Normal Average Temperatures



1981-2010	March	April	May	Spring (Mar. – May)
Bismarck	29.9 °F	43.8 °F	55.5 °F	43.1 °F
Williston	29.3 °F	43.4 °F	54.1 °F	42.2 °F
Jamestown	27.6 °F	42.6 °F	55.2 °F	41.8 °F
Minot	28.3 °F	43.4 °F	54.8 °F	42.1 °F
Dickinson	30.0 °F	42.3 °F	53.1 °F	41.8 °F



Normal Total Precipitation



1981-2010	March	April	May	Spring (Mar. – May)
Bismarck	0.87"	1.26"	2.40"	4.53"
Williston	0.71"	1.00"	1.92"	3.63"
Jamestown	0.84"	1.20"	2.66"	4.70"
Minot	0.84"	1.14"	2.50"	4.48"
Dickinson	0.69"	1.47"	2.32"	4.48"



Normal Total Snowfall



1981-2010	March	April	May	Spring (Mar. – May)
Bismarck	9.1"	4.2"	0.4"	13.7"
Williston	6.2"	3.7"	1.3"	11.2"
Jamestown	7.2"	3.6"	0.3"	11.1"
Minot	7.0"	4.8"	0.5"	12.3"
Dickinson	5.6"	5.9"	0.5"	12.0"





Status of Drought Conditions



January 29, 2013

February 19, 2013








Drought Outlook Valid February 21– May 31, 2013







Climate Outlook Summary



For March 2013:

- Below normal temperatures are favored for the Souris River Valley through southwest North Dakota.
 - ➤ Elsewhere, near normal temperatures are favored.
- Near normal precipitation is favored over much of the state.
 - ➤ In the far east, wetter than normal conditions are favored.
- For Spring (March May) 2013:
 - Near normal temperatures and precipitation are favored statewide.
- Runoff from snowmelt is expected to improve drought conditions through the spring season.